SEQUENCE LISTING

<110> Sasaki, Yukiko
      Nagano, Yukio
        Inaba, Takehito

<120> Light Repressible Promoter

<130> 46216

<140> US 09/700,187

<141> 2000-11-13

<150> PCT/JP00/01269

<151> 2000-3-03

<160> 40

<170> PatentIn ver. 2.0

<210> 1

<211> 12

<212> DNA

<213> Pisum sativum cv. Alaska

<220>

<223> Nucleotide sequence for a core region of light repressible
      promoter from the pea small GTPase gene

<400> 1
ggatttttaca gt   12

<210> 2

<211> 93

<212> DNA

<213> Pisum sativum cv. Alaska

<220>

<223> Nucleotide sequence for a cis element of light repressible
      promoter from the pea small GTPase gene

<400> 2
aaaagtaaca catattttga taaatttatt actaaaacta ttttctagta cttgttaatc   60
atgtctgagg attttacagt aataaagaaa cga   93

<210> 3

<211> 2325

<212> DNA

<213> pisum sativum cv. Alaska

<220>

<223> Nucleotide sequence for a light repressible promoter from the
      pea small GTPase gene

<400> 3
```
aagctttaaa ggcaagggaa agacaacaat tccaaaaata taaaaactcc taaagaatga   60
tttttattctt atcttcataa ataacttttc ctattccaaa aacacatcaa agttatgtga  120
ttcatatctt taattatctg ataatatata attgtatatt caatatttca tacaattgtg  180
ttatatgaaa tattttgtag gtaaaaggga ctaagaataa cctccgcaac atcaaagtca  240
gaaacctctt gtaactcttc agttgaaacg agaaggaagt ggacaacaca gaaaactaag  300
ttcccccact taacttcttg gtttgggtga ggacttcctt tacaatttat actctaagga  360
aatacattag acactctaga tgggttgcat tagctcatat atttttaagt aataataccc  420
acttcaagtt ttttgttttt tgttgttgtg cagtagatga taagatggat catttctcaa  480
ggcccttatg caaagacata agatccatat actccaccaa gattgcttta catctaacca  540
agttaatgaa tttaaattct tcgaaacaat tatttcctac caaaggaagt ttatatgcac  600
attttctaat gtatttttat atagaattga tacatgtttc tgttatacaa gattagaatt  660
tggatttctc atccaaactc ctacacttgg tgagaaattt cagcctcaac ctcagtaaat  720
caggttcctc cttcaaactc atacacttgg ttgagtgaga attatggacg tcaacctagc  780
aatatgaatc cctctccaag atcctacact tatctgagtg agaattttgg tcctcgacct  840
caacaagata gatttgatgg gtcatcacga ggggaagcat tcacattggg tcaaagattc  900
acccaaacaa gtgagagaga catcacatat caaccaaaac cttaaggtga taggtgtatg  960
agttctctta cttataaagt gctcaacctc cacttttcta agcaatgtgt gacttagaac 1020
tcacacttat ttctcaacat aactcacact tgtttatcaa caatctcccc cacaagtgtg 1080
agttcattcg ctatgtcccc ctcaagtgga atctctttca tccgcatgct tataccgttg 1140
ttgacataca tctttactcg tcatgggcac ttcaatggga cacgctgcct gaccaccatg 1200
tcaagaagac ttttgacaca aggagtcggt cccttactcg aaccagactc tgataccatt 1260
aatagatcac tttgaatgga tatcattcat actatatcaa acatttacgt aaagataaaa 1320
aattcaccca aacaaatgag agagacacta catctctctt attatattaa taaaatgtaa 1380
agaaaaatat agtataaaag taacacatat tttgataaat ttattactaa aactattttc 1440
tagtacttgt taatcatgtc tgaggatttt acagtaataa agaaacgagg tagcccaaac 1500
aaaagtgata attgtggagg gtgtgatctt tgtcggtgca aaaaatgaaa ccccaaactt 1560
gtgatattgt gtcgactgct ccgtcgctac attgaaatta atgaatgttc ttttataacg 1620
tttgtctatg ccgtattacc catatggtca ctagaatggg acaatgaatt taatatatat 1680
ctgtcatgtg tgggtggatt caatttaatt gtatcgtaaa tggtaggaca tactcatgct 1740
acacaattat atcatcactg gtcaatcact ggtcaatgtg ttttctcttc ccatgaattc 1800
acattgctaa agaaaattac caccttaaaa tgtttatccc ttgcacacat ttcacatcaa 1860
tttattaaaa cattttacca ttggaaaaca catacatatt caatcaatta tttttgcatt 1920
ttcaaaaact aaaccaaaca aacttagaat attttgtaat tatagcacaa ttttcaaaaa 1980
tatcctagtc ttcaaccact caataattca caatttccaa atcccttgca aaacatcaca 2040
acctctagaa actttgatta ataatctaat aaaagcaata atatgatatc taaacaatat 2100
caccatatat gttatgatat aatatgatgc agcaatacac ttaatttggt aaagcattaa 2160
agcgagacaa ctctattaac accggtaatt caacaaccgt tgttgtcgag ttcatgtttt 2220
cttccaactc ttttccttttt cctttacttt atttatttct cctacttacc ttttctacta 2280
atatatacta tctctcttga acctcttttt gatcttgaca agaaa           2325
```

<210> 4

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer used in Example 1

<400> 4

33

acggttgttg aattaccggt gttaatagag   30

<210> 5

<211> 22

<212> DNA

<213> Artificial Sequence

<220>

<223> NcoI primer used in Example 3

<400> 5
ggtccatggt cttgtcaaga tc   22

<210> 6

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer used for preparing PL1 in Example 3

<400> 6
gggaagcttt aaaggcaagg g   21

<210> 7

<211> 23

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer used for preparing PL3 in Example 3

<400> 7
acgtaaagct taaaaattca ccc   23

<210> 8

<211> 25

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer used for preparing PL4 in Example 3

<400> 8
aaataaagct taaaagtaac acata   25

<210> 9

<211> 27

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer used for preparing PL4B in Example 3

<400> 9
gtactgcagt cagacatgat taacaag   27

<210> 10

<211> 24

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer used for preparing PL5 in Example 3

<400> 10
aaagaagctt ggtagcccaa acaa   24

<210> 11

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer used for preparing LS1 in Example 3

<400> 11
aagcttctgc agggatttta cagtaataaa   30

<210> 12

<211> 35

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer used for preparing LS2 in Example 3

<400> 12
aagcttgtct gactgcagta cagtaataaa gaaac

<210> 13

<211> 42

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer used for preparing LS3 in Example 3

<400> 13
aagcttgtct gaggatttct gcagaataaa gaaacgaggt ag   42

<210> 14

<211> 48

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer used for preparing LS4 in Example 3

<400> 14
aagcttgtct gaggatttta cagtctgcag gaaacgaggt agcccaaa   48

<210> 15

<211> 52

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer used for preparing LS5 in Example 3

<400> 15
aagcttgtct gaggatttta cagtaataaa ctgcagaggt agcccaaaca ag   52

<210> 16

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer used for preparing PL2 in Example 3

<400> 16
tcaatgggac acgctgcctg accaccatgt   30

<210> 17

36

<211> 31

<212> DNA

<213> Artificial Sequence

<220>

<223> pUC19 primer used in Example 3

<400> 17
ggcgtaatca tggtcatagc tgtttcctgt g   31

<210> 18

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer used for preparing PL6 in Example 3

<400> 18
tgtcggtgca aaaaatgaaa ccccaaactt   30

<210> 19

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer used for preparing PL7 in Example 3

<400> 19
aatgtttatc ccttgcacac atttcacatc   30

<210> 20

<211> 25

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer used for preparing PL8 in Example 3

<400> 20
gcaaaacatc acaacctcta gaaac   25

<210> 21

<211>.39

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer used for preparing PL4c in Example 3

<400> 21
gtttggctgc agtcgtttct ttattactgt aaaatcctc   39

<210> 22

<211> 39

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer used for preparing PL4C in Example 3

<400> 22
caatactgca gtatatgtta tgatataata tgatgcagc   39

<210> 23

<211> 25

<212> DNA

<213> Artificial Sequence

<220>

<223> gF primer used for preparing gF1 in Example 3

<400> 23
tactgcagaa aagtaacaca tattt   25

<210> 24

<211> 31

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer used for preparing gF1 in Example 3

<400> 24
tggtgatatt gtttagatat catattattg c   31

<210> 25

<211> 24

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer used for preparing GF2 in Example 3

<400> 25
atgatatcca agggatttgg aaat   24

<210> 26

<211> 26

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer used for preparing GF3 in Example 3

<400> 26
gtgatatcgg gataaacatt ttaagg   26

<210> 27

<211> 24

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer used for preparing GF4 in Example 3

<400> 27
ttgatatccc gacaaagatc acac   24

<210> 28

<211> 24

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer used for preparing gF5 in Example 3

<400> 28
gggatatctc gtttctttat tact   24

<210> 29

<211> 31

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic DNA WT1 used in Example 8

<400> 29
gtctgaggat tttacagtaa taaagaaacg a   31

<210> 30

<211> 31

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic DNA WT2 used in Example 8

<400> 30
tcgtttcttt attactgtaa aatcctcaga c   31

<210> 31

<211> 31

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic DNA MT1 used in Example 8

<400> 31
gtctgaggct tttcccgtaa taaagaaacg a   31

<210> 32

<211> 31

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic DNA MT2 used in Example 8

<400> 32
tcgtttcttt attacgggaa aagcctcaga c   31

<210> 33

<211> 55

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer 35S46UP used in Example 9

<400> 33
aagcttggat ccctcgagct gcaggatatc gcaagaccct tcctctatat aagga   55

<210> 34

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer KZ35SDW used in Example 9

<400> 34
ttccatggaa agctgcctag gagatcctct   30

<210> 35

<211> 54

<212> DNA

<213> Artificial Sequence

<220>

<223> Origonucleotide WT3 used in Example 9

<400> 35
tgaggatttt acagtaattg aggattttac agtaattgag gattttacag taat   54

<210> 36

<211> 53

<212> DNA

<213> Artificial Sequence

<220>

<223> Origonucleotide WT4 used in Example 9

<400> 36
attactgtaa aatcctcaat tactgtaaaa tcctcaatta ctgtaaaatc tca   53

<210> 37

<211> 26

<212> DNA

41

<213> Artificial Sequence

<220>

<223> Primer 18X9RMDW used in Example 9

<400> 37
gcgatatcct ggatcctgag gatttt   26

<210> 38

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer 18X9RMUP used in Example 9

<400> 38
agcggccgcc agtgtggata tcattactgt   30

<210> 39

<211> 54

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer MT3 used in Example 9

<400> 39
tgaggctttt cccgtaattg aggcttttcc cgtaattgag gcttttcccg taat   54

<210> 40

<211> 54

<212> DNA

<213> Artificial Sequence

<220>

<223> Primer MT4 used in Example 9

<400> 40
attacgggaa aagcctcaat tacgggaaaa gcctcaatta cgggaaaagc ctca   54